F1960 Brass Pex Fitting, Lead Free

Product Specifications




FEATURES

- For use with PEX-a Tubing Manufactured to ASTM Standard F876-877.
- Material: Lead Free Brass (metal alloy C46500)
- Maximum Temperature: 180° F
- Maximum Pressure: 250 psi
- Made of DZR (dezincification resistant) lead free forged brass
- NSF/ANSI Standard 14
- NSF/ANSI Standard 61
- NSF/ANSI Standard 372 (Low Lead)
- SE
- CSA B137.5.



TEES					
Model #	Size	Α	В	С	
MLPXBCET121212	1/2"	2.362	1.181	1.181	
MLPXBCET343434	3/4"	3.15	1.575	1.575	
MLPXBCET111	1"	4.016	1.929	2.008	
MLPXBCET343412	3/4"x3/4"x1/2"	2.835	1.299	1.417	
MLPXBCET341234	3/4"x1/2"x3/4"	2.776	1.575	1.201	
MLPXBCET341212	3/4"x1/2"x1/2"	2.52	1.299	1.26	
MLPXBCET1134	1"x1"x3/4"	3.662	1.791	1.811	
MLPXBCET1112	1"x1"x1/2"	3.425	1.378	1.713	
MLPXBCET13434	1"x3/4"x3/4"	3.386	1.693	1.575	



Warranty

See warranty information for more details.










All dimensions listed are nominal. MAINLINE® reserves the right to make product and material changes at any time without notice.


F1960 Brass Pex Fitting, Lead Free

Product Specifications







COUPLINGS						
Model#	Size	Α	В	С		
MLPXBCEC12	1/2"	1.555	0.886	0.138		
MLPXBCEC34	3/4"	2.028	1.102	0.138		
MLPXBCEC1	1"	2.5	1.378	0.138		
MLPXBCEC3412	3/4"x1/2"	1.791	1.102	0.138		
MLPXBCEC134	1" x ¾"	2.264	1.102	0.138		



ELBOW					
Model#	Size	Α	В	С	D
MLPXBCEL12	1/2"	1.476	1.476	1.181	1.181
MLPXBCEL34	3/4"	1.988	1.988	1.575	1.575
MLPXBCEL1	1"	2.53	2.53	2.008	2.008



SWEAT FEMALE ADAPTER						
Model#	Size	Α	В			
MLPXBCEFSA12	1/2"	1.299	0.626			
MLPXBCEFSA34	3/4"	1.811	0.878			
MLPXBCEFSA1	1"	2.205	1.13			
MLPXBCEFSA1234	1/2"x3/4"	1.575	0.878			



SWEAT MALE ADAPTER						
Model#	Size	Α	В			
MLPXBCEMSA12	1/2"	1.417	0.626			
MLPXBCEMSA34	3/4"	1.949	0.874			
MLPXBCEMSA1	1"	2.224	1.126			
MLPXBCEMSA3412	3/4"x1/2"	1.654	0.626			
MLPXBCEMSA1234	1/2"x3/4"	1.634	0.874			

Warranty

See warranty information for more details.


All dimensions listed are nominal. MAINLINE® reserves the right to make product and material changes at any time without notice.




F1960 Brass Pex Fitting, Lead Free

Product Specifications







	PLUG			
Model#	Size	Α	В	С
MLPXBCEP12	1/2"	0.846	0.866	0.138
MLPXBCEP34	3/4"	1.083	1.102	0.138
MLPXBCEP1	1"	1.319	1.378	0.138



MALE ADAPTER						
Model#	Size	Α	В	С		
MLPXBCEMA12	1/2"	1.457	0.866	1/2" MPT		
MLPXBCEMA34	3/4"	1.713	1.181	3/4" MPT		
MLPXBCEMA1	1"	2.126	1.339	1" MPT		
MLPXBCEMA1234	1/2"x3/4"	1.476	1.063	3/4" MPT		
MLPXBCEMA3412	3/4"x1/2"	1.713	1.181	1/2" MPT		
MLPXBCEMA341	3/4"x1"	1.831	1.496	1" MPT		
MLPXBCEMA134	1"x3/4"	1.969	1.417	3/4" MPT		



FEMALE ADAPTER						
Model#	Size	Α	В			
MLPXBCEFA12	1/2"	1.339	0.972			
MLPXBCEFA34	3/4"	1.594	1.378			
MLPXBCEFA1	1"	2.028	1.673			
MLPXBCEFA1234	1/2"x3/4"	1.358	1.22			
MLPXBCEFA3412	3/4"x1/2"	1.575	0.972			



DROP-EAR ELBOW					
Model#	Size	Α	В	С	
MLPXBCEFDEL12	1/2"	1.398	1.22	1/2" FPT	
MLPXBCEFDEL34	3/4"	1.634	1.654	3/4" FPT	

Warranty

See warranty information for more details.

All dimensions listed are nominal. MAINLINE® reserves the right to make product and material changes at any time without notice.

